
URBAN
SURFACES
SOHO SQUARE
20MIL LVP GLUEDOWN FLOORING
20
MIL



Canal Street
7501



Sullivan Street
7502



Boardwalk
7503



Waverly Place
7504



Wooster Street
7505



Crosby Street
7507



Sedona Bridge
7508



Dakota Way
7509



West Broadway
7524



Charlton Plaza
7526



Sixth Avenue
7527




Courtland Alley
7528

Signature DESIGN

Urban Surfaces' Signature Collection features our most sought-after flooring designs, carefully selected from across our diverse lines. Choosing from the Signature Collection means investing in flooring that has proven its timeless appeal—not only through unmatched durability but also enduring style.

EXCEPTIONAL PERFORMANCE FOR COMMERCIAL ENVIRONMENTS

SoHo Square offers modern-day solutions for commercial applications by providing the natural look of wood in a hard surface flooring alternative. Both stylish and highly resistant to walk-through, it makes projects that were once impossible into a reality.



A Powerful Pairing That's Up to Any Challenge



HERE TO STAY

Everlast is true to its name with its heavy-duty, hard-set bond that handles both light-traffic and commercial applications with heavy rolling loads.

- Everlast Hard-Set Adhesive provides immediate post-install access for light traffic so spaces stay occupied.



TRILOGY IS WHAT YOU NEED IT TO BE

Trilogy primes for an effective adhesive bond, setting the stage for Everlast to effectively and securely bond GlueDown LVP to the subfloor.

- Provides encapsulation or up to 95% moisture protection (not simultaneously).

AT THE INTERSECTION OF ART AND INDUSTRY

SOHO SQUARE
20MIL LVP GLUEDOWN FLOORING

Specifications	GlueDown Floor
Product Type	**Luxury Vinyl Plank (LVP)**
Core Material	**3mm Virgin Vinyl**
Fiberglass Reinforced	**FiberBlend**
Wear Layer	**20mil ScratchGuard**
Embossing	**Natural Wood Texture**
Edge Profile	**Beveled Edge**
Overall Thickness	**3mm (0.118")**
Nominal Plank Size	**7" x 48"**
Actual Plank Size	**177.8mm x 1219.2mm**
Surface Protection	**Enhanced Polyurethane System**

Testing

Slip Resistance ASTM D2047	**>0.58 (Dry)**
Static Loading ASTM F970	**2,000 PSI | .005"**
Radiant Flux ASTM E648	**Class 1**
Smoke Density ASTM E662	**Passes**
Light Resistance ASTM F1515	**Passes**
Heat Resistance ASTM F1514	**Passes**
Chemical Resistance ASTM F925	**Passes**
Phthalates ASTM F3414 - 20 (CPSC)	**Passes**
Heavy Metals ASTM F963	**Passes**
Formaldehyde ASTM D6007	**Passes**
Floor Score Certified California 01350	**Passes**
Lead Scorecard EQ 4.3 Low-Emitting Materials	**1 Point**

Warranty

Residential	**Lifetime**
Light Commercial	**20 Years**
Heavy Commercial	**15 Years**

For More Info
Visit Our Website
www.urbansurfaces.com

800.492.8722
Sales@UrbanSurfaces.com
Designed and Developed in the USA